

	L #	Hits	Search Text	DBs
1	L1	1341	(174/256,257,258).ccls.	USP AT; US-P GPU B
2	L2	572	1 and (polyimide\$1 polytetrafluroethylene ptfe (epoxy with glass) (fr adj "4"))	USP AT; US-P GPU B
3	L3	394	2 and solder\$4	USP AT; US-P GPU B
4	L4	713	174/254.ccls.	USP AT; US-P GPU B
5	L6	321	"4" and (polyimide\$1 polytetrafluroethylene ptfe (epoxy with glass) (fr adj "4"))	USP AT; US-P GPU B
6	L5	321	"4" and (polyimide\$1 polytetrafluroethylene ptfe (epoxy with glass) (fr adj "4"))	USP AT; US-P GPU B
7	L7	232	5 and solder\$4	USP AT; US-P GPU B

	L #	Hits	Search Text	DBs
8	L8	326	(174/254.ccls.) and (polyimide\$1 polytetrafluoroethylene ptfe (epoxy with glass) (fr adj "4"))	USP AT; US-P GPU B
9	L9	234	8 and solder\$4	USP AT; US-P GPU B
10	L10	73	1 and polytetrafluoroethylene	USP AT; US-P GPU B
11	L11	5	(10 and solder\$4) not 3	USP AT; US-P GPU B
12	L12	239	9 11	USP AT; US-P GPU B

	L #	Hits	Search Text	DBs
1	L1	0	(361/743,749,750,751,767,768,770,771,784,792,795,803,804).pn.	USP AT; US-P GPU B
2	L2	3383	(361/743,749,750,751,767,768,770,771,784,792,795,803,804).ccls.	USP AT; US-P GPU B
3	L3	2532	(174/255,262,263,264,265,266).ccls.	USP AT; US-P GPU B
4	L4	3287	(428/209,901).ccls.	USP AT; US-P GPU B
5	L5	2317	(228/179.1,180.1,180.21,180.22).ccls.	USP AT; US-P GPU B
6	L6	2091	(29/830,843,845,852,853).ccls.	USP AT; US-P GPU B
7	L7	1268	(427/97,98).ccls.	USP AT; US-P GPU B

	L #	Hits	Search Text	DBs
8	L8	980	(257/698,772).ccls.	USP AT; US-P GPU B
9	L9	1326 5	2 3 4 5 6 7 8	USP AT; US-P GPU B
10	L10	845	9 and @pd>=20020912	USP AT; US-P GPU B
11	L11	544	10 and solder\$4	USP AT; US-P GPU B
12	L12	156	10 and (pb sn eutectic)	USP AT; US-P GPU B
13	L13	562	11 12	USP AT; US-P GPU B